

**From:** Ron Borsellino/R3/USEPA/US  
**Sent:** 7/24/2012 1:54:50 PM  
**To:** Laura Mohollen/R3/USEPA/US@EPA  
**CC:**  
**Subject:** Fw: Dimock Roll-out Update

Ron Borsellino  
Director

Hazardous Site Cleanup Division

----- Forwarded by Ron Borsellino/R3/USEPA/US on 07/24/2012 01:54 PM -----

**From:** Shawn Garvin/R3/USEPA/US  
**To:** Dennis Carney/R3/USEPA/US@EPA  
**Cc:** Kathy Hodgkiss/R3/USEPA/US@EPA, Ron Borsellino/R3/USEPA/US@EPA  
**Date:** 07/24/2012 11:41 AM  
**Subject:** Re: Dimock Roll-out Update

Dennis - Thank you. So if I read this correctly, after 2 pm, we will have one left to drop off their package, right?

Again, thanks - Shawn

**From:** Dennis Carney/R3/USEPA/US  
**To:** Ron Borsellino/R3/USEPA/US@EPA, Shawn Garvin/R3/USEPA/US@EPA  
**Cc:** Kathy Hodgkiss/R3/USEPA/US@EPA  
**Date:** 07/24/2012 11:27 AM  
**Subject:** Dimock Roll-out Update

Shawn and Ron,

All 4 homes currently receiving alternate water have been contacted and have received their packages. They're beginning to make decisions regarding the configuration of their plumbing when we withdraw the alternate water. Two **Ex. 6 - Personal Privacy** have indicated that they would like to discuss their data results with Lora Werner at ATSDR.

For the 3 home from round 1 supplemental, the package for **Ex. 6 - Personal Privacy** (log cabin) was provided last evening when we talked to **Ex. 6 - Personal Privacy** about alternate water at the trailers. For the 2 remaining 1st round supplemental homes:  
HW-64: we have connected after numerous calls and will drop off their data package at 2 PM today.  
HW-62: has a full voicemail box, so Rich was unable to leave a message and we are continuing to try and reach them by phone. If we don't reach them by early afternoon, we are planning on doing a drop by while we are visiting with HW-64

Will provide an update as anything changes. Thanks, dennis.